



PCB PIEZOTRONICS SPECIALTY PRICING 2023 (U.S.)

These models are available at significantly reduced prices only while inventory lasts.

Pricing is valid in U.S. only and does not apply to online orders. To take advantage of this offer, contact a PCB sales representative and place an order by December 29, 2023.

REQUEST A QUOTE

MODEL NUMBER	MODEL NAME	MODEL DESCRIPTION	DISCOUNTED SALE PRICE (Available in US Only)
115A04	Pressure Transducer	Miniature precision pressure sensor, 3.5 kpsi, M5x0.5 mtg. thd.	\$1,000.00
130A23	ICP® Electret Array Microphone	ICP® array microphone and preamplifier combination with enhanced frequency and dynamic range response, SMB Connector	\$300.00
130E21	ICP® Electret Array Microphone	ICP® microphone with integral preamplifier, 10-32 jack connector	\$163.00
130F20	ICP® Electret Array Microphone	ICP® Array Microphone with integral preamplifier, BNC jack connector, TEDS	\$275.00
130F21	ICP® Electret Array Microphone	ICP® Array Microphone with integral preamplifier, 10-32 jack connector, TEDS	\$275.00
130F22	ICP® Electret Array Microphone	ICP® Array Microphone with integral preamplifier, SMB jack connector, TEDS	\$275.00
138M192	Ballistic Pressure Sensor	Ballistic Pressure Sensor Element with solder pins only, 2.5 mV/psi, 2000 psi full scale, no additional shielding	\$89.00
176A05/M005SA	Charge Output Pressure Sensor	Differential charge output pressure sensor, 65 pc/psi, 968 F, ATEX-CSA approved with attached ruggedized cable	\$2,155.00
176M04	Charge Output Pressure Sensor	High temperature charge mode pressure sensor, 17 pC/psi, 1,000 F with metal seals	\$1,200.00
178A60	Miniature Precision Pressure Sensor	Miniature precision pressure sensor in length 30 mm, 3.5 kpsi, M5X.5 thread, 10-32 connector	\$1,099.00
208M133	Force Sensor, ICP®	Multi-purpose, ICP® force sensor, 500 lb comp., 500 lb tension, 10 mV/lb	\$330.00
22	Miniature Tear Drop Accelerometer	Miniature accelerometer, 0.40 pC/g, 0.4 grams with included 10-ft cable	\$600.00
2222C-R	Mini PE Accelerometer, General Purpose	Accelerometer, PE, 1.4 pC/g, -100°F to +350°F, isolated, adhesive mount, side connector, 0.5 grams, no cable incl.	\$208.00
2223D-R	Triaxial PE Accelerometer	Accelerometer, PE, 12 pC/g triax, -67°F to +350°F, isolated, 3-screw mount, 3 connectors, 41 grams, no cable incl.	\$710.00
2224C-R	Accelerometer	Accelerometer, PE, 12 pC/g, -67°F to +350°F, not isolated, 10-32 mounting stud, top connector, 16 grams, no cable incl.	\$160.00
2228C-R	Small Triaxial PE Accelerometer	Accelerometer, PE, 2.8 pC/g triax, -67°F to +350°F, isolated, 2 screw mount, 3 connectors, 15 grams, no cable incl.	\$378.00
2230E	Triaxial PE Accelerometer	Accelerometer, PE, 3 pC/g triax, -67°F to +500°F, not isolated, adhesive mount, 3 connectors, 17 grams	\$870.00
2256B-100	Accelerometer	Accelerometer, IEPE, 100 mV/g, ±50 g, -67°F to +257°F, isolated anodized aluminum base, adhesive mount, top connector, 4 grams	\$370.00
2256B-100-R	Accelerometer	Accelerometer, IEPE, 100 mV/g, ±50 g, -67°F to +257°F, isolated anodized aluminum base, adhesive mount, top connector, 4 grams, no cable incl.	\$300.00
2256B-10-R	Isotron Accelerometer	Accelerometer, IEPE, 10 mV/g, ±500 g, -67°F to +257°F, isolated anodized aluminum base, adhesive mount, top connector, 4 grams, no cable incl	\$303.00
2258A-100	Isotron Accelerometer	No longer in production, Existing Stock ONLY Accelerometer, IEPE, 100 mV/g triax, ±50 g, -67°F to +257°F, isolated, 2 screw mount, 3 connectors, 15 grams	\$950.00
256HX-10	Isotron Accelerometer	Accelerometer, IEPE, 10 mV/g, ±500 g, -67°F to +257°F, isolated, 10-32 mounting stud, top connector, 4 grams	\$400.00
256HX-100	Isotron Accelerometer	Accelerometer, IEPE, 100 mV/g, ±50 g, -67°F to +257°F, isolated, 10-32 mounting stud, top connector, 4 grams	\$400.00
256HX-10-R	Isotron Accelerometer	Accelerometer, IEPE, 10 mV/g, ±500 g, -67°F to +257°F, isolated, 10-32 mounting stud, top connector, 4 grams, no cable incl.	\$330.00

MODEL NUMBER	MODEL NAME	MODEL DESCRIPTION	DISCOUNTED SALE PRICE (Available in US Only)
320M28	High Temperature Accelerometer	UHT-12™, ICP accel, miniature (2gm) ring-style, low temperature coefficient LTC, 1 mV/g, 1 to 10 kHz, integral 098 cable x 6 meters to pigtails (AD)	\$785.00
320M29	Low Temperature Coefficient ICP® Accelerometer	M320C53 with vertical integral cable. UHT-12™, ICP accel, miniature (2gm) ring-style, low temperature coefficient LTC, 1 mV/g, 1 to 10 kHz, top exit, integral 098 cable x 3 meters to pigtails (AD).	\$770.00
357B61/NC	Charge Output Accelerometer	High temp., ceramic compression, charge output accel., 10 pC/g, 5kHz, 10-32 side conn. (-65 F to +900 F), no mating cable supplied	\$650.00
3651A122KG	Piezoresistive Accelerometer	MEMS crash accelerometer, damped, 0.20 mV/g, +/-2000 g, 036 integral cable (side exit), length 30-ft, pigtails	\$532.00
3711B11200G	Mems DC Accelerometer	MEMS DC accelerometer, 10 mV/g, +/-200 g range, 0 to 850 Hz, 4-pin connector	\$525.00
3713B1230G	Triaxial DC Response Accelerometer	Triaxial MEMS DC accelerometer, 66.6 mV/g, +/- 30g, +6 to 30 VDC excitation, integral cable	\$1,061.00
3741B12100G	DC Response Accelerometer	Differential MEMS DC accelerometer, 20 mV/g, 100 g, 0 to 1000 Hz, through hole mtg., 10 ft integral cable	\$444.00
44A13	Accelerometer	END OF LIFE. EXISTING INVENTORY ONLY Accelerometer, IEPE, 10 mV/g triax, ±500 g, -67°F to +257°F, no stud, 14mm cube, side connector, 13 grams, no cable incl., IEEE P1451.4 TEDS v0.9	\$500.00
44A15	Accelerometer	END OF LIFE. EXISTING INVENTORY ONLY Accelerometer, IEPE, 50 mV/g triax, ±100 g, -67°F to +257°F, no stud, 14mm cube, side connector, 13 grams, no cable incl., IEEE P1451.4 TEDS v0.9	\$400.00
45A18	IEPE Triaxial Accelerometer	END OF LIFE, Accelerometer, IEPE, 500 mV/g triax, ±10 g, -67°F to +257°F, not isolated, no stud, 20 mm cube, side connector, 40 grams, no cable incl., IEEE P1451.4 TEDS v0.9	\$250.00
45A19	Triaxial IEPE Accelerometer	END OF LIFE, EXISTING INVENTORY ONLY Accelerometer, IEPE, 1000 mV/g triax, ±5 g, -67°F to +257°F, not isolated, no stud, 20 mm cube, side connector, 40 grams, no cable incl., IEEE P1451.4 TEDS v0.9	\$700.00
603M130	Industrial Accelerometer	Low power, 100mv/g accelerometer with 4-pin Bayonet	\$101.00
603M152	Industrial Accelerometer	603C01 with special model for wind turbine market in China	\$55.00
608A11	Platinum Low-Cost Industrial ICP® Accelerometer	Platinum Stock Products; Low-cost, general purpose, industrial ceramic shear ICP® accel, 100 mV/g, 0.5 to 10k Hz, top exit, 10-ft integral cable, single point ISO 17025 accredited calibration	\$100.00
612M19	High Temperature Accelerometer	High Temperature Accelerometer	\$734.00
65HTLPF-10-02-R	Triaxial IEPE Accelerometer With 2 Pole LPF	Accelerometer, IEPE, 10 mV/g triax, ±500 g, -65°F to +347°F, not isolated, adhesive mount or M2.5 thread, 2-pole low pass filter w 2 kHz corner freq, 5 grams, no cable incl.	\$884.00
7201-100-R	Low Cost Isoshear PE Accelerometer	Accelerometer, PE, 100 pC/g, -100°F to +500°F, 10-32 mounting stud, side connector, 25 grams, no cable incl	\$319.00
7251HT-10	Ring Shear Isotron Accelerometer	Accelerometer, IEPE, 10 mV/g, ±500 g, -67°F to +302°F, isolated, thru-hole mount, side connector, 14 grams	\$753.00
7251HT-10-R	Ring Shear Isotron Accelerometer	Accelerometer, IEPE, 10 mV/g, ±500 g, -67°F to +302°F, isolated, thru-hole mount, side connector, 14 grams	\$857.00
7255A-1	Accelerometer	Accelerometer, IEPE, 1 mV/g, ±5,000 g, 0°F to +150°F, isolated, 1/4-28 integral stud, 2 solder pins on top, 5 grams	\$400.00
7290G-30-S-120	Variable Capacitance Accelerometer	Accelerometer, VC, 30 g, screw mount, single-ended, 10 ft cable	\$624.00
7310-12K-240	Angular Rate Sensor	Inertial Sensors, 12000 deg/sec, 20 ft cable	\$313.00
7310-18K-300	Angular Rate Sensor	Inertial Sensors, 18000 deg/sec, 25 ft cable	\$320.00

MODEL NUMBER	MODEL NAME	MODEL DESCRIPTION	DISCOUNTED SALE PRICE (Available in US Only)
7290G-30-S-120	Variable Capacitance Accelerometer	Accelerometer, VC, 30 g, screw mount, single-ended, 10 ft cable	\$624.00
7310-12K-240	Angular Rate Sensor	Inertial Sensors, 12000 deg/sec, 20 ft cable	\$313.00
7310-18K-300	Angular Rate Sensor	Inertial Sensors, 18000 deg/sec, 25 ft cable	\$320.00
7310-1K5-300	Angular Rate Sensor	Inertial Sensors, 1500 deg/sec, 25 ft cable	\$330.00
7310M1-18K-1.5	Angular Rate Sensor	Angular Rate Sensor	\$525.00
7704A-50-US	Isoshear PE Accelerometer	Accelerometer, PE, 50 pC/g, radiation hardened, -67°F to +550°F, isolated, 10-32 mounting stud, top connector, 25 grams, US Built	\$737.00
770A-100-U-120	DC Accelerometer, Low G	Accelerometer, VC, 100 g, screw mount, 7 to 36V excitation, 10 ft cable	\$370.00
770A-30-U-120	DC Accelerometer, Low G	Accelerometer, VC, 30 g, screw mount, 7 to 36V excitation, 10 ft cable	\$409.00
770A-50-U-120	DC Accelerometer, Low G	Accelerometer, VC, 50 g, screw mount, 7 to 36V excitation, 10 ft cable	\$365.00
770F-10-U-120	DC Accelerometer, Low G	Accelerometer, VC, 10 g, screw mount, 7 to 36V excitation, 10 ft cable	\$380.00
8510B-500-1M37	Piezoresistive Pressure Transducer	Pressure Sensor, 500 psig, gage, 0.152 in face, 10-32 UNF-2A, integral connector	\$708.00
8530B-500-60-D	PR Pressure Sensor	500 psia, absolute, 0.152 in face, 10-32 UNF-2A, 5 ft cable, 5V excitation	\$609.00
8530C-100-120	Pressure Transducer	Pressure Sensor, 100 psia, absolute, 0.152 in face, 10-32 UNF-2A, 10 ft cable	\$501.00
EX357C71	Charge Output Accelerometer	Charge Output Accel., 10 pC/g, 500g, to 5 kHz, 2-pin conn., 3- hole mount, to +900F, ATEX Approved	\$1,038.00
EX615A42	High Temperature Industrial Accelerometer	High temperature, intrinsically safe, charge mode accelerometer, 100 pC/g sensitivity, 500 degree F, 10 ft integral cable.	\$2,050.00
EXT0622B00	Accelerometer	Intrinsically-safe industrial ceramic shear ICP accel with temperature output, 10 mV/g, 0.2 to 10 kHz, top exit, 3 pin MIL type connector.	\$230.00
P357B06	Charge Output Accelerometer	Miniature (2 gm), ring-style, charge output accel., 5 pC/g, 10k Hz, 5-44 side conn. positive polarity	\$256.00
RV646B02	Dual Output Accelerometer	Dual output (vibration/raw acceleration vibration) vibration sensor, 4 to 20 mA output, 0 to 10 g's RMS, 3 to 10k Hz, top exit, 3-pin conn	\$147.00
TLB353M217	Triaxial ICP® Accelerometer	Quartz shear ICP® accel., 20 mV/g, +/- 250 g pk, 1 to 5k Hz, M5 x 0.8-6H mtg thd., 10-32 side conn., TEDS with LMS Automotive format	\$756.00
TLD352M172	Triaxial ICP® Accelerometer	High sensitivity, miniature (1.8 gm), ceramic shear ICP® accel., 10 mV/g, with TEDS and 5-44 coaxial conn. EXISTING INVENTORY ONLY	\$575.00
TLB353M217	Accelerometer	Accelerometer, IEPE, 1 mV/g, ±5,000 g, 0°F to +150°F, isolated, 1/4-28 integral stud, 2 solder pins on top, 5 grams	\$400.00
TLD352M172	Piezoresistive Accelerometer	Accelerometer, PR, 2,000 g, undamped, screw mount, 25 ft cable, 10V excitation	\$363.00

These models are available at significantly reduced prices only while inventory lasts.

Pricing is valid in U.S. only and does not apply to online orders. To take advantage of this offer, contact a PCB sales representative and place an order by December 29, 2023.

REQUEST A QUOTE



3425 Walden Avenue, Depew, NY 14043 USA

pcb.com | info@pcb.com | 800 828 8840 | +1 716 684 0001

© 2023 PCB Piezotronics - all rights reserved. PCB Piezotronics is a wholly-owned subsidiary of Amphenol Corporation. Endevo is an assumed name of PCB Piezotronics of North Carolina, Inc., which is a wholly-owned subsidiary of PCB Piezotronics, Inc. Accumetrics, Inc. and The Modal Shop, Inc. are wholly-owned subsidiaries of PCB Piezotronics, Inc. IMI Sensors and Larson Davis are Divisions of PCB Piezotronics, Inc. Except for any third party marks for which attribution is provided herein, the company names and product names used in this document may be the registered trademarks or unregistered trademarks of PCB Piezotronics, Inc., PCB Piezotronics of North Carolina, Inc. (d/b/a Endevo), The Modal Shop, Inc. or Accumetrics, Inc. Detailed trademark ownership information is available at www.pcb.com/trademarkownership.